

General Safety Data Sheet
 To be used in compliance with
 A Hazard Communication Standard,
 FR 1910.1200. Standard must be
 used for specific requirements.

U.S. Department of Labor
 Occupational Safety and Health Administration
 (Non-Mandatory Form)
 Form Approved
 OMB No. 1218-0072



MSDS (As Used on Label and Label)
 Telford Tape PS 2447 - 2449
 Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked as such.

Section I — Product Name
 BEARS Craft Mfg./Plumb Shop
 22700 Northwestern Hwy.
 Southfield, MI 48034

Emergency Telephone Number
 402-553-0479
 Telephone Number for Information

Date Prepared
 6/1/87
 Signature of Preparer (optional)

Section II — Hazardous Ingredients/Identify Information
 (List Components (Specific Chemical Identity, Common Name(s))
 OSHA PEL ACGIH TLV Other Limits Recommended % Federal

Section III — Physical/Chemical Characteristics

Pressure (mm Hg)	Specific Gravity (H ₂ O = 1)	0.4-1.0
Density (H ₂ O = 1)	Melting Point	
Boiling Point	Evaporation Rate (Butyl Acetate = 1)	

Section IV — Fire and Explosion Hazard Data

Flammable Limits	LEL	UEL
------------------	-----	-----

Section V — Reactivity Data

Stability	Unstable	Stable on condition under 260 degrees C, except molt
Incompatibility (Materials to Avoid)	X	Alkali, certain halogen products, and fluorine (at high temp. and pressures)

Section VI — Health Hazard Data

Routes of Entry:	Inhalation?	Sw?	Ingestion?
Health Hazard (Acute and Chronic)	X		

Section VII — Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled

Section VIII — Control Measures

Personal Protective Clothing or Equipment	Local Exhaust	No Need	Special
Respiratory Protection (Specify Type)	Mechanical (General)	No Need	Other
Other Protective Clothing or Equipment	Eye Protection		

Section IX — Other Information

MSDS (As Used on Label and Label)
 Telford Tape PS 2447 - 2449
 Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked as such.